App. Ser. No. 09/574,203

Atty. Dkt. No.: 225.48876

PATENT

IN THE CLAIMS:

Entry of the following amendments is respectfully requested in order to place the claims in condition for allowance:

1. (currently amended) An exhaust-gas cleaning system, comprising:

a nitrogen oxide reduction catalytic converter for reducing nitrogen oxides

contained in an exhaust gas;

a reducing-agent metering device for metered addition of the reducing

agent or a reducing-agent precursor to the exhaust gas,

wherein said reducing-agent metering device comprises:

a feed unit;

a vaporizer arranged upstream of the nitrogen oxide reduction

catalytic converter; and

a heat source selected from the group consisting of a heatable

deflector surface disposed in the exhaust gas onto which the reducing agent is

directed under pressure at an angle substantially perpendicular to the deflector

surface or and a microwave generator.

2. (original) An exhaust-gas cleaning system according to Claim 1,

wherein the heatable deflector surface comprises a baffle plate that is oriented

parallel to a direction of flow of the exhaust gas.

-2-

App. Ser. No. 09/574,203

Atty. Dkt. No.: 225.48876

PATENT

3. (original) An exhaust-gas cleaning system according to Claim 2, wherein a surface of the baffle plate is arranged against an inside surface of a

pipe of the exhaust-gas cleaning system or is arranged in an interior of the pipe.

4. (currently amended) An exhaust-gas cleaning system according to

Claim 2, wherein the exhaust gas flows through a main-flow exhaust system

section, and the heatable baffle plate is arranged in a part-flow branch line of the

exhaust-gas cleaning system that branches off from a the main-flow exhaust

system section at a branching point and opens back into the main-flow exhaust

system section downstream of the branching point.

5. (original) An exhaust-gas cleaning system according to Claim 1,

further comprising two catalytic converter stages connected in series, wherein

each catalytic converter stage has a different reducing-agent storage capacity

and wherein at least one of the catalytic converter stages forms the nitrogen

oxide reduction catalytic converter.

6. (original) A motor vehicle internal combustion engine comprising the

exhaust-gas cleaning system according to Claim 1.

7. (withdrawn) A method for cleaning exhaust gas, comprising:

guiding an exhaust gas containing nitrogen oxides through a main flow

channel;

injecting a reducing agent into the exhaust gas;

-3-

App. Ser. No. 09/574,203

Atty. Dkt. No.: 225.48876

PATENT

vaporizing the reducing agent;

mixing the vaporized reducing agent and the exhaust gas;

catalytically reducing the nitrogen oxides,

wherein said vaporizing comprises heating the reducing agent by

microwave radiation or by spraying the reducing agent onto a heated deflector

surface.

8. (withdrawn) A method according to Claim 7, wherein said vaporizing

further comprises hydrolysing hydrolyzing urea to form gaseous ammonia and

carbon monoxide.

9. (withdrawn) A method according to Claim 7, wherein said heated

deflector surface further comprises a catalytically active coating.

-4-